



WIŚNIEWSKI

BROUGHT TO YOU BY



Wisniowski
Side Hinged Range
Brochure
March 2025





GENERAL OVERVIEW	3-5
DOORPRO SIDE HINGED DOORS	6-7
DOOR OPTIONS HARDWARE - DESIGNS	8-9
WINDOW & DECOR OPTIONS	10-11
TEXTURE - OPTIONS COLOUR OPTIONS	12-15
FOILED FINISHES	16-19
HOME INCLUSIVE OPTIONS	20-21
TECHNICAL INFORMATION	22-23

www.jduk ltd.co.uk



Welcome to the Wisniewski insulated side hinged DoorPro & DoorTherm range, brought to you by JDUK Door Systems



DoorPro & DoorTherm Insulated Side Hinged - Single or Double Leaf.

Insulated side hinged doors offer the possibility to adapt perfectly to the rest of your home. Thanks to the use of panel designs S, M & L Ribbed, Georgian and V-line microwave, They can also be perfectly adapted to a sectional garage door. A wide range of colours and laminates, as well as decorative applications and glazing, offer endless possibilities. Single leaf pass doors are the ideal solution in residential construction, as a side entrance or as a door to the garage.



Thanks to advanced technologies, proven materials and Wisniewski's own innovative technical thinking, we give our customers the certainty of a good choice. We have an integrated Management System, certified on the basis of the quality standard ISO 9001: 2008 and Occupational Health and Safety OHSAS 18001:2007. This is striving for continuous improvement of processes and products. Our experience is a guarantee of stability and responsibility for the product throughout its entire life cycle. It is also a promise of the highest quality and user safety.

Innovative Technical Thinking



DoorPro 45



DoorPro 60



DoorPro 70



DoorTherm 86

DoorPro 45

- Single or double leaf version available.
- Door chassis and door frame are 45mm aluminium profiles with a 1 chamber system.
- No thermal break.
- Vertical panel placement available.
- Door leaf panel is the same structure of UniPro sectional door panel.
- The inside of the door panel structure is finished in RAL9002.
- Opening direction inwards or outwards, left or right.
- Rebated seal along the entire perimeter of the door leaf and frame.

DoorPro 60 & 70 & DoorTherm 86

- Single or double leaf version available.
- DoorPro 60 door chassis and door frame are 60mm aluminium profiles with 3 chamber system.
- With thermal break.
- DoorPro 70 door chassis and door frame are 70mm aluminium profiles with a 3 chamber system.
- DoorTerm 86, is produced with a 60mm door panel and 86mm aluminium profile with a 3 chamber system.
- Vertical panel placement available.
- Horizontal & vertical glazing available.
- The inside of the door panel structure is finished in RAL9002.
- Side and top lights available.
- Vertical panel placement is available.

Functionality That Lasts



DoorPro 45

- Symmetrical and Asymmetrical distribution available.
- Stainless steel handle supplied as standard.
- 3 Point locking supplied as standard.
- Anti burglary bolts supplied as standard.
- Glazing option available, please see page 10.
- Decorative motifs available please see page 11.
- Choose from over 200 colours from the RAL Classic palette.
- 40+ foiled finishes available.
- Exclusive - Home Inclusive colour range.



DoorPro 60, 70 & DoorTherm 86

- Symmetrical and Asymmetrical distribution available.
- Stainless steel handle as standard.
- 5 Point locking as standard.
- DoorPro 70 - RC3 lock cylinder optional upgrade.
- DoorPro 60 - RC2 lock cylinder optional upgrade.
- Glazing options available, please see page 10.
- Decorative motifs available please see page 11.
- Choose from over 200 colours from the RAL Classic palette.
- 40+ foiled finishes available.
- Exclusive - Home Inclusive colour range.

Panel Designs



S Ribbed - Double or Single Leaf



M Ribbed - Double or Single Leaf



L Ribbed - Double or Single Leaf



V Line - Double or Single Leaf




Georgian - Double or Single Leaf

Hardware - Supplied As Standard



DoorPro 45
Cylinder Hinge



DoorPro 60
Surface Hinge



DoorPro 70
Surface Hinge



DoorTherm 86
Surface Hinge



Jupiter Steel Handle
Supplied As Standard



3-Point Locking
DoorPro 45



5-Point Locking
DoorPro 60,70 & 86



Hinged Security Bolts
Supplied As Standard



Threshold As Standard
With DoorPro 45



Threshold As Standard
With DoorPro 60 & 70


Optional - Upgrades



1200mm - 40x40
Steel Pull Handle



1200mm - 40x20
Steel Pull Handle



1200mm Round
Steel Pull Handle



Door Stays



Door Closer

Glazing Options - Only Available For DoorPro 60, 70 & DoorTherm 86



Vertical Glazed Panels



Horizontal Glazed Panels



Side Light Glazing




Side & Top Light Glazing



Side & Top Light Glazing

Framed Window Options - Only Available For DoorPro 45, 60 & 70.



Type A-1



Type C-1



Type E-1



Type O



Type R1-A



Type O2-A

Decorative Steel Decor - Optional Upgrades



L Ribbed With Decor Type AP-1



L Ribbed With Decor Type AP-2



L Ribbed With Decor Type AP-3



L Ribbed With Decor Type AP-4



L Ribbed With Decor Type AP-5



L Ribbed With Decor Type AP-6

Additional finishes to the existing brushed steel decor range.

AP-1 to AP-6 steel decor, now available in powder coated black.

AP-7 insert strip for the M & L Ribbed, now available in copper.



Type AP-1 330x60mm



Type AP-2 260mm



Type AP-3 220x220mm



Type AP-4 330x220mm



Type AP-5 220x220mm



Type AP-6 220x220mm


Panel - Textures



Woodgrain



Smoothgrain



Smooth



Sandgrain

Standard Colour Options - Finishes



	V Line	S Ribbed	M Ribbed	L Ribbed	Georgian
Woodgrain	—	Standard Colour RAL9016, 7016, 3000, 5010, 8014, 9006, 9007 & 2004	Standard Colours RAL7016, 8014, 9006 & 9016	Standard Colours RAL7016, 8014, 9006 & 9016	Standard Colour RAL9016
Smoothgrain	—	—	40+ film coatings	40+ film coatings	—
Sandgrain	—	—	AW Anthracite	AW Anthracite	—
Smooth	Standard Colour RAL9006 & 7016	Standard Colour RAL7016	Standard Colour RAL7016 & 9016	Standard Colour RAL7016 & 9016	—
Home Inclusive 2.0	—	16 colours	16 colours	16 colours	—

An Abundance of Colours

Colour is the first feature our senses react to. We made sure that each of our customers can find the colour they are looking for. Our garage doors can be manufactured in RAL classic palette colours and in wood effect finishes. Together with our range of structures and extra decorative elements, this gives you hundreds of options for a totally bespoke design.



Choose from over 200+ colours from the RAL classic palette excluding pearlescent and fluorescent colours, please check availability. Colours are for illustration purposes only. Please request a swatch card.

RAL Classic Colours

Below is a selection of RAL colours taken from the RAL classic palette. There are many more to choose from, please request a colour swatch card.

TRAFFIC WHITE RAL 9016	PURE WHITE RAL 9010	SIGNAL WHITE RAL 9003	OYSTER WHITE RAL 1013	CREAM RAL 9001	LIGHT IVORY RAL 1015	IVORY RAL 1014
WHITE ALUMINIUM RAL 9006	GREY ALUMINIUM RAL 9007	LIGHT GREY RAL 7035	PEBBLE GREY RAL 7032	AGATE GREY RAL 7038	SILVER GREY RAL 7001	WINDOW GREY RAL 7040
STONE GREY RAL 7030	QUARTZ GREY RAL 7039	MOUSE GREY RAL 7005	BASALT GREY RAL 7012	SLATE GREY RAL 7015	GRAPHITE GREY RAL 7024	GRANITE GREY RAL 7026
PLATINUM GREY RAL 7036	DUSTY GREY RAL 7037	ANTHRACITE GREY RAL 7016	BLACK GREY RAL 7021	SIGNAL BLACK RAL 9004	GRAPHITE BLACK RAL 9011	JET BLACK RAL 9005
PIGEON BLUE RAL 5014	PASTEL BLUE RAL 5024	SKY BLUE RAL 5015	SIGNAL BLUE RAL 5005	GENTIAN BLUE RAL 5010	COBALT BLUE RAL 5013	STEEL BLUE RAL 5011
FLAME RED RAL 3000	CARMINE RED RAL 3002	RUBY RED RAL 3003	BURGUNDY RAL 3004	WINE RED RAL 3005	SEPIA BROWN RAL 8014	TERRA BROWN RAL 8028
PASTEL GREEN RAL 6019	PALE GREEN RAL 6021	PINE GREEN RAL 6028	MOSS GREEN RAL 6005	FIR GREEN RAL 6009	NUT BROWN RAL 8011	BLACK BROWN RAL 8022

COLOURS ARE FOR REFERENCE PURPOSES ONLY
PLEASE REQUEST A SAMPLE



L RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
S RIBBED												
V LINE												
GEORGIAN												

[illegible]

		Sheffield Oak Light F 456-3081 Smoothgrain	Sheffield oak grey F 436-3086 Smoothgrain	Brusch schwarzbraun F436-1023 smoothgrain	Earl platin 119500 smoothgrain	Black ultra-mat PX47097 smoothgrain	Woodec Turner Oak Malt F4703001 smoothgrain	Woodec Sheffield Oak Alpine F4703002 smoothgrain	Woodec Sheffield Oak Concrete F4703003 smoothgrain	Umbragrau F436-60657 smoothgrain	Fenstergrau F436-6066 smoothgrain	Cremeweiss F456-6001 smoothgrain	Anthrazitgrau F436-6003 smoothgrain	
L RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
M RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
S RIBBED														
V LINE														
GEORGIAN														

					Dark grey silk 4367003 smoothgrain	
					Golden Oak 2178001-167 smoothgrain	
					Walnut 2178007-167 smoothgrain	
					Anthracite Quartz Mat F4701014 smoothgrain	
					Wooden Turner Oak Toffee F4703004 smoothgrain	
					Modern White (Painted finish based on RAL 9010) silklane	
					Modern White (Painted finish based on RAL 9010) woodgrain	
					Modern Black (Painted finish based on RAL9005) silklane	
					Modern Black (Painted finish based on RAL 9005) woodgrain	





HI EARTH

HI STONE

HI STEEL

L RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
S RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
V LINE												
GEORGIAN												



HOME
INCLUSIVE

THE HOME INCLUSIVE 2.0 COLOUR COLLECTION
Add exceptional character to your property thanks to the unique depth effect of HI 2.0 colours. Perfect for when you require a perfect colour match for your sectional door, insulated side hinged door and front entrance door.

HI RUBY


✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓




Technical Information

DoorPro 45, Profile Dimensions

Vertical door position, cross section image of the DoorPro 45 door without a thermal break (door infill 40mm steel panel)




Horizontal door position, cross section image of the DoorPro 45 door without a thermal break




DoorPro 60, Profile Dimensions

Vertical door position, cross section image of the DoorPro60 door with a thermal break (door infill 40mm steel panel)




Horizontal door position, cross section image of the DoorPro 60 door with a thermal break




Technical Information

Vertical door position, cross section image of the DoorPro 70 with a thermal break (door infill 40mm steel panel)




DoorPro 70, Profile Dimensions

Horizontal door position, cross section image of the DoorPro 70 door with a thermal break




DoorTherm 86 Profile Dimensions

Vertical door position, cross section image of the DoorTherm 86 door with a thermal break (door infill 60mm steel panel)



Horizontal door position, cross section image of the DoorTherm 86 door with a thermal break





JDUK Door Systems
Ravensthorpe Industrial Estate, Low Mill Lane.
Havelock Street, Ravensthorpe, Dewsbury. WF13 3LN
T: 01924 472924 E: sales@jdukLtd.co.uk www.jdukLtd.co.uk

